

# MedStar Health, Inc.

## POLICY AND PROCEDURE MANUAL

Policy Number: MP.124.MH  
Last Review Date: 01/17/2016  
Effective Date: 02/15/2017

### MP.124.MH – Glaucoma, Invasive Procedures

This policy applies to the following lines of business:

- ✓ MedStar Employee (Select)
- ✓ MedStar MA – DSNP – CSNP
- ✓ MedStar CareFirst PPO

MedStar Health considers Invasive Procedures for Glaucoma medically necessary for the following indications:

- 1. Ex-PRESS™ Mini Glaucoma Shunt and FDA-Approved Aqueous Drainage Devices:** Refractory open-angle glaucoma to reduce intraocular pressure (IOP) in patients where documented medical and conventional surgical treatments have failed. The specific model of the implanted device must be FDA-approved and be used according to FDA-approved indications.
- 2. iSTENT® Trabecular Micro-Bypass Stent:** Indicated for use in conjunction with cataract surgery for the reduction of IOP in adult patients with mild to moderate open-angle glaucoma currently treated with ocular hypotensive medication.
- 3. Canaloplasty** is considered medically necessary for an IOP of 21 mm Hg or higher and a diagnosis of Primary open-angle glaucoma (POAG), pigmentary glaucoma, exfoliation glaucoma, or POAG mixed with another mechanism under any of the following circumstances:
  - A. Failed trabeculectomy in opposite eye
  - B. Failed laser trabeculoplasty without scarring
  - C. Documented case with medical reason why target IOP is unlikely to be achieved on maximum doses of ophthalmic medications
  - D. IOP has not been achieved over 6 months on maximum dose of ophthalmic medications alone
  - E. Keloid formers
  - F. Patients with significant ocular surface disease
  - G. Patients with ocular pemphigoid
  - H. Concern about further loss of vision in patients with any of the following:
    - High myopia (-6 diopters or higher)
    - Advanced previous glaucoma damage = visual field lost & visual fixation is split
    - Ocular hypotony in opposite eye 2° to trabeculectomy

## MP.124.MH – Glaucoma, Invasive Procedures

Policy Number: MP.124.MH  
Last Review Date: 01/17/2016  
Effective Date: 02/15/2017

- Immuno-suppressed
- Anti-coagulation
- Diabetes mellitus with documented early retinopathy or diabetic macular edema

### Requirements for Canaloplasty:

1. Procedure must be completed with an FDA-approved device or system
2. Providers must have evidence of credentialing and privileges for performing canaloplasty at the surgical facility/center where the procedure is performed
3. Ophthalmic surgeon must be formally trained with documentation of training to perform the canaloplasty procedure

### Background

The Centers of Medicare and Medicaid Services (CMS) categorize Glaucoma as a group of diseases, frequently characterized by raised intraocular pressure (IOP) which affects the optic nerve. Glaucoma is the second leading cause of blindness in the world (approximately 8.4 million people blind from glaucoma), but with early detection and treatment, serious vision loss can be prevented. Risk factors for Glaucoma include: African Americans over age 40, everyone over age 60 (especially Mexican Americans), and people with a family history of glaucoma.

The American Academy of Ophthalmology defines POAG as a progressive, chronic, optic neuropathy in adults in which IOP and other currently unknown factors contribute to damage and in which, in the absence of other identifiable causes, there is a characteristic acquired atrophy of the optic nerve and loss of retinal ganglion cells and their axons. This condition is associated with an anterior chamber angle that is open by gonioscopic appearance.

The EX-PRESS is a Glaucoma Filtration Device designed to regulate intraocular pressure in the eyes suffering from glaucoma. The device works by diverting aqueous humor through the implant from the anterior chamber to the intrascleral space, the bleb.

The iStent Trabecular Micro-Bypass Stent creates a permanent opening from the anterior chamber into Schlemm's canal, thus improving aqueous humor outflow and ultimately reducing IOP.

The iTrack 250A canaloplasty procedure attempts to widen the eye's natural drainage canal and therefore re-establishing normal eye pressure.

### Codes:

## MP.124.MH – Glaucoma, Invasive Procedures

Policy Number: MP.124.MH  
 Last Review Date: 01/17/2016  
 Effective Date: 02/15/2017

CPT Codes / HCPCS Codes / ICD-10 Codes	
Code	Description
<b>Ex-PRESS™ Mini Glaucoma Shunt, FDA-Approved Aqueous Drainage Devices, and iSTENT® Trabecular Micro-Bypass Stent:</b>	
<b>CPT codes</b>	
66183	Insertion of anterior segment aqueous drainage device, without extraocular reservoir, external approach
0191T	Insertion of anterior segment aqueous drainage device, without extraocular reservoir, internal approach, into the trabecular meshwork; initial insertion <b>(Sunset January 2019)</b>
0253T	Insertion of anterior segment aqueous drainage, device without extraocular reservoir, internal approach, into the suprachoroidal space <b>(Sunset January 2019)</b>
<b>ICD-9 codes covered if selection criteria are met:</b>	
365.10	Open angle glaucoma, unspecified
365.11	Primary open angle glaucoma
365.12	Low tension open angle glaucoma
365.13	Pigmentary open angle glaucoma
365.14	Glaucoma of childhood
365.15	Residual stage of open angle glaucoma
365.10	Open angle glaucoma, unspecified
<b>ICD-10 codes covered if selection criteria are met:</b>	
H40.10X0- H40.10X4	Open angle glaucoma, unspecified
H40.11X0- H40.11X4	Primary open angle glaucoma
H40.1290	Low-tension glaucoma, unspecified eye, stage unspecified
H40.1310- H40.1394	Pigmentary open angle glaucoma
H40.151- H40.159	Residual state of open angle glaucoma
H40.50X0- H40.63X4	Glaucoma secondary to other eye disorders/drugs

## MP.124.MH – Glaucoma, Invasive Procedures

Policy Number: MP.124.MH  
 Last Review Date: 01/17/2016  
 Effective Date: 02/15/2017

H40.1120	Primary open-angle glaucoma, left eye, stage unspecified
H40.1121	Primary open-angle glaucoma, left eye, mild stage
H40.1122	Primary open-angle glaucoma, left eye, moderate stage
H40.1123	Primary open-angle glaucoma, left eye, severe stage
H40.1124	Primary open-angle glaucoma, left eye, indeterminate stage
H40.1130	Primary open-angle glaucoma, bilateral, stage unspecified
H40.1131	Primary open-angle glaucoma, bilateral, mild stage
H40.1132	Primary open-angle glaucoma, bilateral, moderate stage
H40.1133	Primary open-angle glaucoma, bilateral, severe stage
H40.1134	Primary open-angle glaucoma, bilateral, indeterminate stage
H40.1190	Primary open-angle glaucoma, unspecified eye, stage unspecified
H40.1191	Primary open-angle glaucoma, unspecified eye, mild stage
H40.1192	Primary open-angle glaucoma, unspecified eye, moderate stage
H40.1193	Primary open-angle glaucoma, unspecified eye, severe stage
H40.1194	Primary open-angle glaucoma, unspecified eye, indetermi
H40.1110	Primary open-angle glaucoma, right eye, stage unspecified
H40.1111	Primary open-angle glaucoma, right eye, mild stage
H40.1112	Primary open-angle glaucoma, right eye, moderate stage
H40.1113	Primary open-angle glaucoma, right eye, severe stage
H40.1114	Primary open angle glaucoma, right eye, undetermina
Q15.0	Congenital glaucoma
<b>Canaloplasty</b>	
<b>CPT codes</b>	
66174	Transluminal dilation of aqueous outflow canal; without retention of device or stent
66175	Transluminal dilation of aqueous outflow canal; with retention device or stent
<b>ICD-9 codes covered if selection criteria are met:</b>	
365.10	Unspecified open angle glaucoma
365.11	Primary open angle glaucoma
365.12	Low tension open angle glaucoma

## MP.124.MH – Glaucoma, Invasive Procedures

Policy Number: MP.124.MH  
 Last Review Date: 01/17/2016  
 Effective Date: 02/15/2017

365.13	Pigmentary open angle glaucoma
365.14	Glaucoma of childhood
365.15	Residual stage of open angle glaucoma
365.52	Pseudoexfoliation glaucoma
365.89-365.90	Other specified glaucoma/Unspecified glaucoma
<b>ICD-10 codes covered if selection criteria are met:</b>	
H40.10X0- H40.10X4	Unspecified open angle glaucoma
H40.11X0- H40.11X4	Primary open-angle glaucoma
H40.1290	Low-tension glaucoma, unspecified eye, stage unspecified
H40.1310- H40.1394	Pigmentary glaucoma
H40.1410- H40.1494	Pseudoexfoliation glaucoma
H40.151- H40.159	Residual state of open angle glaucoma
H40.50X0- H40.63X4	Glaucoma secondary to other eye disorders/drugs
H40.89-H40.9	Other specified glaucoma
Q15.0	Congenital glaucoma
H40.1120	Primary open-angle glaucoma, left eye, stage unspecified
H40.1121	Primary open-angle glaucoma, left eye, mild stage
H40.1122	Primary open-angle glaucoma, left eye, moderate stage
H40.1123	Primary open-angle glaucoma, left eye, severe stage
H40.1124	Primary open-angle glaucoma, left eye, indeterminate stage
H40.1130	Primary open-angle glaucoma, bilateral, stage unspecified
H40.1131	Primary open-angle glaucoma, bilateral, mild stage
H40.1132	Primary open-angle glaucoma, bilateral, moderate stage
H40.1133	Primary open-angle glaucoma, bilateral, severe stage
H40.1134	Primary open-angle glaucoma, bilateral, indeterminate stage
H40.1190	Primary open-angle glaucoma, unspecified eye, stage unspecified

## MP.124.MH – Glaucoma, Invasive Procedures

Policy Number: MP.124.MH  
Last Review Date: 01/17/2016  
Effective Date: 02/15/2017

H40.1191	Primary open-angle glaucoma, unspecified eye, mild stage
H40.1192	Primary open-angle glaucoma, unspecified eye, moderate stage
H40.1193	Primary open-angle glaucoma, unspecified eye, severe stage
H40.1194	Primary open-angle glaucoma, unspecified eye, indetermi
H40.1110	Primary open-angle glaucoma, right eye, stage unspecified
H40.1111	Primary open-angle glaucoma, right eye, mild stage
H40.1112	Primary open-angle glaucoma, right eye, moderate stage
H40.1113	Primary open-angle glaucoma, right eye, severe stage
H40.1114	Primary open angle glaucoma, right eye, undetermina

### References

1. Alcon, Inc., The Ex-PRESS® Glaucoma Filtration Device Preloaded on EDS. Accessed: 12/02/2014. ©2010, Alcon., [http://ecatalog.alcon.com/PI/ExPress\\_us\\_en.pdf](http://ecatalog.alcon.com/PI/ExPress_us_en.pdf)
2. American Academy of Ophthalmology. Primary Open-Angle Glaucoma Suspect Benchmarks for Preferred Practice Pattern® Guidelines. October 2014. <http://www.aao.org/preferred-practice-pattern/primary-openangle-glaucoma-suspect-ppp--october-20>
3. Centers for Medicare and Medicaid Services (CMS). Local Coverage Determination (LCD). No. L35087 – Glaucoma Treatment with Aqueous Drainage Device. (Contractor: Novitas Solutions, Inc.). Original Effective Date: 10/01/2015. <http://www.cms.gov/medicare-coverage-database/details/lcd-details.aspx?LCDId=35087&ContrId=318&ver=3&ContrVer=1&DocType=All&bc=AqIAAAAAAAAAAAAA%3d%3d&>
4. Centers for Medicare and Medicaid Services (CMS). Medicare Learning Network: MLN Matters No. MM6087- Revised. July Update to the 2008 Medicare Physician Fee Schedule Database (MPFSDB). Revision Date: June 9, 2008. <http://www.cms.gov/Outreach-and-Education/Medicare-Learning-Network-MLN/MLNMattersArticles/downloads/MM6087.pdf>
5. Dahan E, Ben Simon GJ, Lafuma A. Comparison of trabeculectomy and Ex-PRESS implantation in fellow eyes of the same patient: a prospective, randomized study. Eye. 2012 May;26(5):703-710. doi: 10.1038/eye.2012.13, <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC3351049/pdf/eye201213a.pdf>
6. Hayes Health Technology Brief. EX-PRESS Glaucoma Filtration Device (Alcon Inc.) for Treatment of Primary Open-Angle Glaucoma. Publication Date February 26, 2015.

## MP.124.MH – Glaucoma, Invasive Procedures

Policy Number: MP.124.MH

Last Review Date: 01/17/2016

Effective Date: 02/15/2017

7. Hayes Health Technology Brief. iStent Trabecular Micro-Bypass Stent (Glaukos Corp.) for Treatment of Primary Open-Angle Glaucoma. Annual Review February 9, 2015.
8. Hayes Health Technology Brief. Canaloplasty (iTrack 250A Canaloplasty Microcatheter; iScience Interventional Inc.) for Primary Open-Angle Glaucoma. Annual Review September 27, 2013.
9. Hayden FA: An Update on Canaloplasty, American Society of Cataract & Refractive Surgery, Issued September 2011.  
<http://www.eyeworld.org/printarticle.php?id=6032>
10. Le K, Saheb H. iStent trabecular micro-bypass stent for open-angle glaucoma. Clin Ophthalmol. 2014 Sep 23;8:1937-1945. doi: 10.2147/OPTH.S45920. eCollection 2014. <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC4181749/>
11. Lewis RA, von Wolff K, Tetz M, et al. Canaloplasty: Three-year results of circumferential viscodilation and tensioning of Schlemm canal using a microcatheter to treat open angle glaucoma. J Cataract Refract Surg. 2011 April; 37:682-690. doi:10.1016/j.jcrs.2010.10.055.  
<http://www.ncbi.nlm.nih.gov/pubmed/21420593>
12. Lewis RA, von Wolff K, Tetz M, et al. Canaloplasty: circumferential viscodilation and tensioning of Schlemm canal using a flexible microcatheter for the treatment of open angle glaucoma. Two-year interim clinical study results. J Cataract Refract Surg. 2009 May; 35(5):814-824. doi: 10.1016/j.jcrs.2009.01.010.  
<http://www.ncbi.nlm.nih.gov/pubmed/19393879>
13. Minckler DS, Francis BA, Hodapp EA, et al. Ophthalmic Technology Assessment. Aqueous shunts in glaucoma. A report by the American Academy of Ophthalmology Ophthalmology. 2008 Jun;115(6):1089-1098. doi: 10.1016/j.ophtha.2008.03.031, <http://www.aao.org/ophthalmic-technology-assessment/aqueous-shunts-in-glaucoma-ota>
14. National Eye Institute (NEI). Facts about Glaucoma  
[https://nei.nih.gov/health/glaucoma/glaucoma\\_facts](https://nei.nih.gov/health/glaucoma/glaucoma_facts)
15. National Institute for Health and Clinical Excellence (NICE), Interventional Procedure Guidance (IPG) : Canaloplasty for Primary Open Angle Glaucoma. IPG 260. Issue Date May 2008. <http://publications.nice.org.uk/canaloplasty-for-primary-open-angle-glaucoma-ipg260>
16. Royal National Institute of Blind People: Myopia and High Degree Myopia. © 2014, Royal National Institute of Blind People, London. Accessed: 12/02/2014.  
[http://www.rnib.org.uk/eyehealth/eyeconditions/eyeconditionsdn/Pages/high\\_deg\\_ree\\_myopia.aspx](http://www.rnib.org.uk/eyehealth/eyeconditions/eyeconditionsdn/Pages/high_deg_ree_myopia.aspx)
17. Salim S. Current variations of glaucoma filtration surgery. Curr Opin Ophthalmol. 2012 Mar;23(2):89-95. doi: 10.1097/ICU.0b013e32834ff401.  
<http://www.ncbi.nlm.nih.gov/pubmed/22249236>

## MP.124.MH – Glaucoma, Invasive Procedures

Policy Number: MP.124.MH  
Last Review Date: 01/17/2016  
Effective Date: 02/15/2017

18. Shingleton B, Tetz M, Korber N. Circumferential viscodilation and tensioning of Schlemm canal (canaloplasty) with temporal clear corneal phacoemulsification cataract surgery for open-angle glaucoma and visually significant cataract: one-year results. 2008 Mar;34(3):433-440. doi: 10.1016/j.jcrs.2007.11.029 <http://www.ncbi.nlm.nih.gov/pubmed/18299068>
19. U.S. Food and Drug Administration (FDA). 510 (K) Summary, Blunt Tip Ex-PRESS™ Mini Glaucoma Shunt. K030350. (Submitter: OPTONOL, Ltd.). March 13, 2003. [http://www.accessdata.fda.gov/cdrh\\_docs/pdf3/k030350.pdf](http://www.accessdata.fda.gov/cdrh_docs/pdf3/k030350.pdf)
20. U.S. Food and Drug Administration (FDA). 510 (k) Summary, Ex-PRESS™ Miniature Glaucoma Implant. K012852. (Submitter: OPTONOL, Ltd.). March 26, 2002. [http://www.accessdata.fda.gov/cdrh\\_docs/pdf/k012852.pdf](http://www.accessdata.fda.gov/cdrh_docs/pdf/k012852.pdf)
21. U.S. Food and Drug Administration (FDA). Glaukos iStent® Trabecular Micro-Bypass Stent (Models: GTS-100R, GTS-100L) and Inserter (GTS-100i)-P080030. July 16, 2012. <http://www.accessdata.fda.gov/scripts/cdrh/cfdocs/cftopic/pma/pma.cfm?num=p080030>
22. Wilson RP. Aqueous Shunts from the Anterior Chamber of the Eye to a Posterior Reservoir. Last revision: June 4, 2012. Available at: Glaucoma Services Foundation Web Blog. ©2012, Glaucoma Service Foundation to Prevent Blindness. <http://willsglaucoma.org/aqueous-shunts-from-the-anterior-chamber-of-the-eye-to-the-posterior-reservoir>

### Disclaimer:

MedStar Health medical payment and prior authorization policies do not constitute medical advice and are not intended to govern or otherwise influence the practice of medicine. The policies constitute only the reimbursement and coverage guidelines of MedStar Health and its affiliated managed care entities. Coverage for services varies for individual members in accordance with the terms and conditions of applicable Certificates of Coverage, Summary Plan Descriptions, or contracts with governing regulatory agencies.

MedStar Health reserves the right to review and update the medical payment and prior authorization guidelines in its sole discretion. Notice of such changes, if necessary, shall be provided in accordance with the terms and conditions of provider agreements and any applicable laws or regulations.

These policies are the proprietary information of Evolent Health. Any sale, copying, or dissemination of said policies is prohibited.